



Current IMS Database




DS Group

Fig 1A  
(Prior Art)

Invention Database



Directory DS



Segdata DS

Fig 1B

### Layout of Segment in Directory Dataset

Segment Prefix <u>26</u>		Segment Data <u>28</u>	
Seg Code & Delete Byte <u>30</u>	Prefix Pointers <u>32</u>	Pointer to Seg Data <u>34</u>	Metadata
			Seg Key <u>32</u> Born-On-Date <u>36</u>

**Figure 2A. Split Segment Composition – Prefix Portion with Metadata in segment data portion**

### Layout of Segment in Segdata Dataset

Segment Prefix <u>26</u>			Seg Data <u>28</u>
Seg Code & Delete Byte <u>30</u>	Prefix Pointers <u>32</u>	Metadata	
		Seg Key <u>32</u> Born-On-Date <u>36</u>	Pointer to Seg Data <u>34</u>

**Figure 2B. Split Segment Composition – Prefix Portion with Metadata in segment prefix portion**

Layout of Segment in Segdata Dataset

Segment Prefix <u>40</u>	Segment Data <u>42</u>	Trans- parent <u>44</u>
Seg code & delete byte <u>46</u>	User Data <u>48</u>	Born on Date <u>50</u>

Fig. 3

DBD NAME=IVPDB1, ACCESS=(HIDAM, OSAM)

DIR DD1=DFSIVD1, SIZE=2048, UOW=(500, 50, 10)

122

DATASET DD1=DFSIVD1A, DEVICE=3380, SIZE=2048  
SEGM NAME=A1111111, PARENT=0, BYTES=40, RULES=(LLV, LAST), PTR=(TB, CTR)  
FIELD NAME=(A1111111, SEQ, U), BYTES=010, START=00001, TYPE=C  
FIELD NAME=A9999999, BYTES=010, START=00011, TYPE=C  
LCHILD NAME=(A1, IVPDB1I), POINTER=INDX, RULES=LAST  
LCHILD NAME=(A1X, IVPDB1X), POINTER=INDX  
XDFLD NAME=AXXXXXXX, SEGMENT=A1111111, SRCH=(A9999999)  
LCHILD NAME=(C1X, IVPDB1Z), POINTER=INDX  
XDFLD NAME=CXXXXXXX, SEGMENT=C1111111, SRCH=(C9999999)

DATASET DD1=DFSIVD1B, DEVICE=3380, SIZE=4096  
SEGM NAME=B1111111, PARENT=A1111111, BYTES=(1000, 50),  
RULES=(LLV, LAST), PTR=(TB)  
FIELD NAME=(B1111111, SEQ, M), BYTES=010, START=00003, TYPE=C  
FIELD NAME=/SXB1  
LCHILD NAME=(B1X, IVPDB1Y), POINTER=INDX  
XDFLD..NAME=BXXXXXXX, SEGMENT=B1111111, SRCH=(B1111111), SUBSEQ=(/SXB1)

DATASET DD1=DFSIVD1C, DEVICE=3380, SIZE=8192  
SEGM NAME=C1111111, PARENT=B1111111, COMPRTN=(DFSKMPX0, DATA, INIT),  
RULES=(LLV, LAST), PTR=(TB), BYTES=(8000, 50)  
FIELD NAME=(C1111111, SEQ, U), BYTES=010, START=00003, TYPE=C  
FIELD NAME=C9999999, BYTES=010, START=00011, TYPE=C

DIRGEN

DBDGEN

FINISH

END

Figure 4A Sample HIDAM DBD

DBD NAME=IVPDB2, ACCESS=HDAM, RMNAME= (DFSHDC40, 4, 1000)

DIR DD1=DFSIVD2, UOW= (100, 10)

DATASET DD1=DFSIVD2A, DEVICE=3380, SIZE=2048

SEGM NAME=A1111111, PARENT=0, BYTES=40, RULES= (LLL, LAST), X  
COMPRTN= (DFSKMPX0, DATA, INIT)

FIELD NAME= (A1111111, SEQ, U), BYTES=010, START=00001, TYPE=C

DATASET DD1=DFSIVD2B, DEVICE=3380, SIZE=4096

SEGM NAME=B1111111, PARENT=A1111111, BYTES= (1000, 50), X  
RULES= (LLV, LAST), PTR= (TB)

FIELD NAME= (B1111111, SEQ, U), BYTES=010, START=00003, TYPE=C

DATASET DD1=DFSIVD2C, DEVICE=3380, SIZE=8192

SEGM NAME=C1111111, PARENT=B1111111, COMPRTN= (DFSKMPX0, DATA, INIT),  
RULES= (LLV, LAST), PTR=TB, BYTES=8000

FIELD NAME= (C1111111, SEQ, U), BYTES=010, START=00001, TYPE=C

DIRGEN

DBDGEN

FINISH

END

Figure 4/3 Sample HDAM DBD

## Secondary Index




Figure 5 Secondary Index Architecture

## Secondary Index




Figure 6 Secondary Index Before Reorganizing

## Secondary Index




Figure 7 Secondary Index After Reorganizing








Figure 8 Retrieving a Target Segment via a Secondary Index




**Figure 9 Correcting Direct Pointer in a Secondary Index**




**Figure 10 Saving the Database Definition at DB Load Time**

FIGURE 11



**Figure 11 Checking the Database Definition at DB Processing Time**

UNIT OF WORK ARCHITECTURE



**Figure 12. Unit Of Work (UOW) Architecture**







Figure 13. HDAM UOW Architecture



**Figure 14. HIDAM UOW Architecture**




### Figure 15. Prime & DOVF Block Composition




### Figure 16. IOVF Block Composition







**Figure 17 Block Composition Using IMS' Space Management**




**Figure 18 Block Composition Using Invention's Space Management**




**Figure 19 Space Management at Database Load Time**



**Figure 20 Space Management at Database Update Time**



**Figure 21. Space Management at Database Load Time**



**Figure 22. Space Management at Database Update Time**